



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Predicting Q-Speciation in Binary Silicate and Phosphate Glasses using Statistical Mechanics

Bødker, Mikkel Sandfeld; Mauro, John C.; Goyal, Sushmit; Guo, Xiaojun; Youngman, Randall E.; Smedskjær, Morten Mattrup

Publication date:
2018

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Bødker, M. S., Mauro, J. C., Goyal, S., Guo, X., Youngman, R. E., & Smedskjær, M. M. (2018). *Predicting Q-Speciation in Binary Silicate and Phosphate Glasses using Statistical Mechanics*. Abstract from 2018 Glass and Optical Materials Division Annual Meeting, San Antonio, Texas, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

(GOMD-S1-023-2018) Predicting Q-Speciation in Binary Silicate and Phosphate Glasses using Statistical Mechanics

M. S. Bødker¹; J. C. Mauro²; S. Goyal³; X. Guo³; R. Youngman³; M. M. Smedskjaer^{*1}

1. Aalborg University, Department of Chemistry and Bioscience, Denmark 2. Pennsylvania State University, USA 3. Corning Incorporated, USA

Predicting the compositional evolution of the atomic-scale structure of oxide glasses is important for developing quantitative composition-property models. In binary silicate and phosphate glasses, addition of network modifiers generally lead to depolymerization of the networks as described by the Q-speciation. Upon the initial creation of non-bridging oxygens and thus partly depolymerized Q species, a variety of network former/modifier interactions exists. Here, based on ²⁹Si and ³¹P magic angle spinning nuclear magnetic resonance spectroscopy data from literature, we present a statistical description of the compositional evolution of Q-speciation in these glasses by accounting for the relative enthalpic and entropic contributions to the bonding preferences. We show that the entire glass structure evolution can be predicted based on experimental structural information for only a few glass compositions in each series. The model also captures the differences in bonding preferences in glasses with different field strengths of the modifier cations.